

CC2: Conduitas Circulares

Tubo Spiro

DIAM	ESPESSURA			
	0,5	0,6	0,8	1,0
80				
100				
125				
150				
160				
180				
200				
225				
250				
280				
300				
315				
350				
355				
400				
450				
500				
550				
560				
600				
630				
650				
700				
710				
750				
800				
850				
900				
950				
1000				
1100				
1200				




Tubo Calandrado Simples c/ encaixe

DIAM.	Espessura		
	0,6	0,8	1,0
100			
110			
120			
125			
130			
140			
150			
180			
200			
250			
300			
350			
400			







Tubo Calandrado e Acessórios de Parede Dupla









CC3: Acessórios Spiro


Curvas

Diâmetro				
	Curva 30°	Curva 45°	Curva 60°	Curva 90°
100				
125				
150				
160				
180				
200				
224				
250				
280				
300				
315				
350				
355				
400				
450				
500				
550				
560				
600				
630				
650				
700				
710				
750				
800				
900				
1000				


Acessórios Ligação

Diâmetro						
	IT	ILR	ILRR	ST	VAR	FL
	União	Gola	Gola c/ Rede	Registro	Válvula Anti-Retorno	Flange
100						
125						
150						
160						
180						
200						
224						
250						
280						
300						
315						
350						
355						
400						
450						
500						
550						
560						
600						
630						
650						
700						
710						
750						
800						
900						
1000						

Acessórios Terminais


Diâmetro					
	DH	CHE	BPN	H	AL
	Chapéu	Chapéu Eco.	Bico de Pato	H	Tampo
100					
125					
150					
160					
180					
200					
224					
250					
280					
300					
315					
350					
355					
400					
450					
500					
550					
560					
600					
630					
650					
700					
710					
750					
800					
900					
1000					

Reduções Concêntricas




	100	125	150	160	180	200	224	250	280	300	315	350	355	400	450	500	550	560
125																		
150																		
160																		
180																		
200																		
224																		
250																		
280																		
300																		
315																		
350																		
355																		
400																		
450																		
500																		
550																		
560																		
600																		

Reduções Excêntricas

	100	125	150	160	180	200	224	250	280	300	315	350	355	400	450	500	550	560
125																		
150																		
160																		
180																		
200																		
224																		
250																		
280																		
300																		
315																		
350																		
355																		
400																		
450																		
500																		
550																		
560																		
600																		



Acessórios Derivação

Diâmetro principal			
	TC	T45	Y45
	Derivação T	Derivação T 45°	Derivação Y 45°
100			
125			
150			
160			
180			
200			
224			
250			
280			
300			
315			
350			
355			
400			
450			
500			
550			
560			
600			
630			
650			
700			
710			
750			
800			
900			
1000			

Nota: Acessórios com diâmetro de derivação superior ao diâmetro principal, multiplicar valor por 1,3.